

**NEW  
EDITION  
2023**



**SUPPLIER OF QUALITY ELECTRO SURGICAL INSTRUMENTS**

## TABLE OF CONTENTS

EUROPEAN BIPOLAR FORCEPS	2 - 9
EUROPEAN IRRIGATION BIPOLAR FORCEPS	10 - 12
EUROPEAN NON STICK BIPOLAR FORCEPS	13 - 16
SILVER GLIDE NON STICK BIPOLAR FORCEPS	17 - 23
US BIPOLAR FORCEPS	24 - 28
MONOPOLAR FORCEPS	29 - 30
US IRRIGATION BIPOLAR FORCEPS	31 - 32
US NON STICK BIPOLAR FORCEPS	33 - 35
HAND-SWITCH BIPOLAR FORCEPS	36 - 37
DIATHERMY INSTRUMENTS	38 - 40
DISPOSABLE BIPOLAR FORCEPS	41 - 46
OB/GYN LEEP INSTRUMENTS	47 - 50





The LAFTAN electro bipolar forceps are available in various lengths and shapes for different surgical and anatomical requirements. The reusable bipolar forceps make it easy to coagulate tissue. Sticking effects on the tips of the forceps are reduced to a minimum.


### **Advantages of Reusable European Bipolar Forceps**

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Reusable, durable, and designed for multiple uses.*
- *The Instruments is autoclavable.*
- *Compatible with all common electrosurgery unit.*

# EUROPEAN BIPOLAR FORCEPS




381-100



381-102




381-104



381-106




381-108



381-110

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
 at tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-100	MCPHERSON	0.5	10.2
381-102	MCPHERSON ANGLED	0.5	10.2
381-104	JEWELLER #5	0.5, 0.7, 1.0	11.5
381-106	JEWELLER #5 ANGLED	0.5, 0.7, 1.0	11.5
381-108	JEWELLER #7	0.5, 0.7, 1.0	11.5
381-110	ADSON	0.5, 0.7, 1.0	12

## EUROPEAN BIPOLAR FORCEPS



381-112



381-114



381-116



381-118




381-120



381-122

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-112	ADSON	0.5, 0.7, 1.0	15
381-114	STRAIGHT	0.5, 1.0, 2.0	15
381-116	STRAIGHT	0.5, 1.0, 2.0	18
381-118	STRAIGHT	0.5, 1.0, 2.0	20
381-120	STRAIGHT	0.5, 1.0, 2.0	22
381-122	STRAIGHT	0.5, 1.0, 2.0	24

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size of the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

# EUROPEAN BIPOLAR FORCEPS



381-124



381-126



381-128




381-130



381-132



### Tip Chart




Tip size can be changed as per your requirement, just add the following extensions  
 (1) Tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-124	STRAIGHT ANGLED	0.5, 1.0, 2.0	24
381-126	STRAIGHT ANGLED	0.5, 1.0, 2.0	22
381-128	STRAIGHT ANGLED	0.5, 1.0, 2.0	20
381-130	STRAIGHT ANGLED	0.5, 1.0, 2.0	18
381-132	STRAIGHT ANGLED	0.5, 1.0, 2.0	15

# EUROPEAN BIPOLAR FORCEPS





Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-134	BAYONET	0.5, 1.0, 2.0	24
381-136	BAYONET	0.5, 1.0, 2.0	22
381-138	BAYONET	0.5, 1.0, 2.0	20
381-140	BAYONET	0.5, 1.0, 2.0	18
381-142	BAYONET	0.5, 1.0, 2.0	16.5




Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

**EUROPEAN BIPOLAR FORCEPS**



**Tip Chart**






Tip size can be changed as per your requirement, just add the following extensions  
ft tip size at the end of Ref #: TIP- Needle: 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-144	BAYONET ANGLED UP	0.5, 1.0, 2.0	24
381-146	BAYONET ANGLED UP	0.5, 1.0, 2.0	22
381-148	BAYONET ANGLED UP	0.5, 1.0, 2.0	20
381-150	BAYONET ANGLED UP	0.5, 1.0, 2.0	18
381-152	BAYONET ANGLED UP	0.5, 1.0, 2.0	16.5




## EUROPEAN BIPOLAR FORCEPS



Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-154	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	24
381-156	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	22
381-158	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	20
381-160	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	18
381-162	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	16.5

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: **TIP**- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm




It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.


### **Advantages of Reusable European Irrigation Bipolar Forceps**

- *A universal hub connector allows irrigation tubing to be connected easily.*
- *The ergonomically designed handle provides less fatigue and a well balanced instrument.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).*
- *Compatible with all common electrosurgery unit.*

**EUROPEAN IRRIGATION BIPOLAR FORCEPS**



Ref	Item Name	Tip-Size (mm)	Length Size (cm)
381-164	STRAIGHT IRRIGATION	0.5, 1.0, 2.0	24
381-166	STRAIGHT IRRIGATION	0.5, 1.0, 2.0	22
381-168	STRAIGHT IRRIGATION	0.5, 1.0, 2.0	20
381-170	STRAIGHT IRRIGATION	0.5, 1.0, 2.0	18
381-172	STRAIGHT IRRIGATION	0.5, 1.0, 2.0	15



Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

**EUROPEAN IRRIGATION BIPOLAR FORCEPS**

381-174


381-176

381-178

381-180

381-182

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions to tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-174	BAYONET IRRIGATION	0.5, 1.0, 2.0	24
381-176	BAYONET IRRIGATION	0.5, 1.0, 2.0	22
381-178	BAYONET IRRIGATION	0.5, 1.0, 2.0	20
381-180	BAYONET IRRIGATION	0.5, 1.0, 2.0	18
381-182	BAYONET IRRIGATION	0.5, 1.0, 2.0	16.5



During the coagulation process, tissue and tips of forceps can stick together. LAFTAN non-stick bipolar forceps are made with a special silver alloy and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the temperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. LAFTAN Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm width. Forceps are also available with different measurements as well as with flat pin or 2-pin plug.

### **Advantages of Reusable Non-Stick European Bipolar Forceps**

- *Ten years of experience speak for themselves. Our forceps do not stick – never!*
- *No cleaning during surgery*
- *Especially high thermal qualities*
- *All Non-stick Bipolar Forceps are re-usable and autoclavable.*
- *Compatible with all common electrosurgery unit.*

**EUROPEAN NON STICK BIPOLAR FORCEPS**



381-184 NS



381-186 NS



381-188 NS




381-190 NS



381-192 NS

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions  
ft tip size of the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-184-NS	MCPHERSON	0.5, 1.0,	10.2
381-186-NS	MCPHERSON ANGLED	0.5, 1.0,	10.2
381-188-NS	JEWELLER #5	0.5, 1.0,	11.5
381-190-NS	JEWELLER #5 ANGLED	0.5, 1.0,	11.5
381-192-NS	ADSON	0.5, 1.0,	12

**EUROPEAN NON STICK BIPOLAR FORCEPS**



**381-194 NS**



**381-196 NS**



**381-198 NS**




**381-200 NS**



**381-202 NS**

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-194-NS	STRAIGHT	0.5, 1.0, 2.0	24
381-196-NS	STRAIGHT	0.5, 1.0, 2.0	22
381-198-NS	STRAIGHT	0.5, 1.0, 2.0	20
381-200-NS	STRAIGHT	0.5, 1.0, 2.0	18
381-202-NS	STRAIGHT	0.5, 1.0, 2.0	15



Tip size can be changed as per your requirement, just add the following extensions  
 At tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

EUROPEAN NON STICK BIPOLAR FORCEPS



381-204 NS



381-206 NS




381-208 NS



381-210 NS




381-212 NS



Tip size can be changed as per your requirement, just add the following extensions.  
At tip size of the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-204-NS	BAYONET	0.5, 1.0, 2.0	24
381-206-NS	BAYONET	0.5, 1.0, 2.0	22
381-208-NS	BAYONET	0.5, 1.0, 2.0	20
381-210-NS	BAYONET	0.5, 1.0, 2.0	18
381-212-NS	BAYONET	0.5, 1.0, 2.0	16.5





The LAFTAN bipolar forceps are available in various lengths and shapes for different surgical and anatomical requirements. The reusable Bipolar forceps make it easy to coagulate tissue. Sticking effects on the tips of the forceps are reduced to a minimum.

### Advantages of Reusable US Bipolar Forceps

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Reusable, durable, and designed for multiple uses.*
- *Precision tip alignment aids fine control.*
- *The Instruments is autoclavable.*
- *Compatible with all common electrosurgery unit.*

**SILVER GLIDE NON STICK BIPOLAR FORCEPS**




381-214 NS



381-216 NS

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions to tip size at the end of Ref #: TIP: Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-214-NS	JEWELLER #5	0.5, 1.0,	11.5
381-206-NS	ADSON	0.5, 1.0,	12

**SILVER GLIDE NON STICK BIPOLAR FORCEPS**



**381-218 NS**



**381-220 NS**



**381-222 NS**




**381-224 NS**



**381-226 NS**

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-218-NS	STRAIGHT	0.5, 1.0, 2.0	24
381-220-NS	STRAIGHT	0.5, 1.0, 2.0	22
381-222-NS	STRAIGHT	0.5, 1.0, 2.0	20
381-224-NS	STRAIGHT	0.5, 1.0, 2.0	18
381-226-NS	STRAIGHT	0.5, 1.0, 2.0	15



Tip size can be changed as per your requirement, just add the following extensions  
 at tip size at the end of Ref #: TIP: Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

SILVER GLIDE NON STICK BIPOLAR FORCEPS



381-228 NS



381-230 NS




381-232 NS



381-234 NS



381-236 NS




Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-228-NS	STRAIGHT ANGLED	0.5, 1.0, 2.0	24
381-230-NS	STRAIGHT ANGLED	0.5, 1.0, 2.0	22
381-232-NS	STRAIGHT ANGLED	0.5, 1.0, 2.0	20
381-234-NS	STRAIGHT ANGLED	0.5, 1.0, 2.0	18
381-236-NS	STRAIGHT ANGLED	0.5, 1.0, 2.0	15

**SILVER GLIDE NON STICK BIPOLAR FORCEPS**




Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-238-NS	BAYONET	0.5, 1.0, 2.0	24
381-240-NS	BAYONET	0.5, 1.0, 2.0	22
381-242-NS	BAYONET	0.5, 1.0, 2.0	20
381-244-NS	BAYONET	0.5, 1.0, 2.0	18
381-246-NS	BAYONET	0.5, 1.0, 2.0	16.5



Tip size can be changed as per your requirement, just add the following extensions to tip size at the end of Ref #: TIP- Needles: 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

SILVER GLIDE NON STICK BIPOLAR FORCEPS



Tip size can be changed as per your requirement, just add the following extensions  
At tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-248-NS	BAYONET ANGLED UP	0.5, 1.0, 2.0	24
381-250-NS	BAYONET ANGLED UP	0.5, 1.0, 2.0	22
381-252-NS	BAYONET ANGLED UP	0.5, 1.0, 2.0	20
381-254-NS	BAYONET ANGLED UP	0.5, 1.0, 2.0	18
381-256-NS	BAYONET ANGLED UP	0.5, 1.0, 2.0	16.5

**SILVER GLIDE NON STICK BIPOLAR FORCEPS**



381-258 NS



381-260 NS



381-262 NS




381-264 NS



381-266 NS

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-258-NS	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	24
381-260-NS	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	22
381-262-NS	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	20
381-264-NS	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	18
381-266-NS	BAYONET ANGLED DOWN	0.5, 1.0, 2.0	16.5

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm



The LAFTAN bipolar forceps are available in various lengths and shapes for different surgical and anatomical requirements. The reusable Bipolar forceps make it easy to coagulate tissue. Sticking effects on the tips of the forceps are reduced to a minimum.

### Advantages of Reusable US Bipolar Forceps

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Reusable, durable, and designed for multiple uses.*
- *Precision tip alignment aids fine control.*
- *The Instruments is autoclavable.*
- *Compatible with all common electrosurgery unit.*



**US BIPOLAR FORCEPS**



381-268



381-270



381-276




381-280



381-286

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-268	MCPHERSON	0.5, 0.7, 1.0	10.2
381-270	MCPHERSON ANGLED	0.5, 0.7, 1.0	10.2
381-276	JEWELLER #5	0.5, 0.7, 1.0	11.5
381-280	JEWELLER #4	0.5, 0.7, 1.0	11.5
381-286	IRIS STRAIGHT	0.5, 0.7, 1.0	10.8



Tip size can be changed as per your requirement, just add the following extensions fit tip size of the end of Ref #: **TP-** Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

# US BIPOLAR FORCEPS



381-288



381-290



381-292



381-294




381-296



381-300




381-304




Tip size can be changed as per your requirement, just add the following extensions  
 to tip size of the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-288	IRIS ANGLED	0.5, 0.7, 1.0	10.8
381-290	ADSON	0.5, 0.7, 1.0	12
381-292	SEMKIN	0.5, 0.7, 1.0	14
381-294	CUSHING	0.5, 0.7, 1.0, 1.5	15.9
381-296	CUSHING	0.5, 0.7, 1.0, 1.5	17.8
381-300	GERALD STRAIGHT	0.5, 1.0, 1.5	17.8
381-304	GERALD BAYONET	0.5, 1.0, 1.5	18.4

**US BIPOLAR FORCEPS**



Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-306	JANSEN BAYONET	0.5, 1.0, 1.5, 2.0	20.4
381-308	JANSEN BAYONET	0.5, 1.0, 1.5	17.8
381-310	JANSEN BAYONET	0.5, 1.0, 1.5	15.2




Tip size can be changed as per your requirement, just add the following extensions (ft tip size of the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

**US BIPOLAR FORCEPS**



381-312



381-314




381-316




381-318

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions  
for tip size at the end of Ref #: TIP- Needle: 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-312	MALIS	0.5, 1.0, 1.5	17.8
381-314	SCOVILLE-GREENWOOD	0.5, 1.0, 1.5	19.1
381-316	YASARGIL	0.5, 1.0, 1.5	19.7
381-318	HARDY BAYONET	0.5, 1.0, 1.5	21.6



Our Monopolar instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Monopolar instruments.

### **Advantages of Reusable Monopolar Forceps**

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*

# MONOPOLAR FORCEPS

381-282



381-284



381-286



381-288



381-292




381-294



381-296



381-302



Tip size can be changed as per your requirement, just add the following extensions  
 If tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-282	Jeweller #4	Needle	11.5
381-284	Jeweller #7	Needle	11.5
381-286	Adson	1.0	12.0
381-288	Potts-Smith	2.0	17.8
381-290	Potts-Smith	2.0	21.0
381-292	Potts-Smith	2.0	24.1
381-294	Jansen Bayonet	1.5	13.3
381-296	Jansen Bayonet	1.5	15.9
381-298	Jansen Bayonet	2.0	19.1
381-300	Jansen Bayonet	2.0	21.0
381-302	Jansen Bayonet UP	2.0	19.1
381-304	Jansen Bayonet UP	2.0	21.0



It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.

### Advantages of Reusable US Irrigation Forceps

- *A universal hub connector allows irrigation tubing to be connected easily.*
- *The ergonomically designed handle provides less fatigue and a well balanced instrument.*
- *For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).*
- *Compatible with all common electro-surgery unit.*

# US IRRIGATION BIPOLAR FORCEPS



381-344 IR



381-346 IR




381-350 IR



381-352 IR

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-344 IR	STRAIGHT	0.5, 1.0, 1.5	15.9
381-346 IR	GERALD BAYONET	0.5, 1.0, 1.5	18.4
381-350 IR	JANSEN BAYONET	0.5, 1.0, 1.5	19.1
381-352 IR	HARDY BAYONET	0.5, 1.0, 1.5	21.6





During the coagulation process, tissue and tips of forceps can stick together. LAFTAN non-stick bipolar forceps are made with a special silver alloy and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the temperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. LAFTAN Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm width. Forceps are also available with different measurements as well as with flat pin or 2-pin plug.

### **Advantages of Reusable Non-Stick European Bipolar Forceps**

- *Ten years of experience speak for themselves. Our forceps do not stick – never!*
- *No cleaning during surgery*
- *Especially high thermal qualities*
- *All Non-stick Bipolar Forceps are re-usable and autoclavable.*
- *Compatible with all common electrosurgery unit.*

## US NON STICK BIPOLAR FORCEPS



381-354 NS



381-356 NS



381-360 NS



381-362 NS




381-364 NS



381-366 NS

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Ref #: TIP: Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-354-NS	MCPHERSON	NEEDLE, 0.5	10.2
381-356-NS	MCPHERSON ANGLED	NEEDLE, 0.5	10.2
381-360-NS	JEWELLER# 5 ANGLED	NEEDLE, 0.5	11.5
381-362-NS	JEWELLER# 4	NEEDLE, 0.5	11.5
381-364-NS	ADSON	0.5, 1.0	12
381-366-NS	SEMKIN	0.5, 1.0	14

# US NON STICK BIPOLAR FORCEPS



381-368 NS



381-370 NS



381-372 NS




381-374 NS



381-378 NS

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-368-NS	CUSHING	0.5, 1.0, 1.5	17.8
381-370-NS	CUSHING	0.5, 1.0, 1.5	15.9
381-372-NS	GERALD BAYONET	0.5, 1.0, 1.5	18.4
381-374-NS	JANSEN BAYONET	0.5, 1.0, 1.5	18
381-378-NS	ADSON	1.0, 1.5	19.7



Tip size can be changed as per your requirement, just add the following extensions  
 to tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

# HAND-SWITCH BIPOLAR FORCEPS

381-341-HS




381-342-HS




381-343-HS



381-344-HS




## Tip Chart




Tip size can be changed as per your requirement, just add the following extensions to tip size at the end of Ref #: TIP: Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-341-HS	Jeweller #4	0.5	11.5
381-342-HS	Semkin	0.7	14.0
381-343-HS	Jansen Bayonet	0.7	19.1
381-344-HS	Scoville-Greenwood	1.5	19.7

# HAND-SWITCH BIPOLAR FORCEPS



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions.  
 fl tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-345-HS	Jansen Bayonet	2.0	19.0
381-346-HS	Jansen Bayonet	2.0	21.0
381-347-HS	Potts-Smith	2.0	21.0
381-348-HS	Potts-Smith	2.0	24.0



Our Diathermy instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Diathermy instruments. Diathermy instruments are available in four base types. Models popular Diathermy Instruments : Adson, Jeweller, McIndoe, Standard, Bayonet, Artery Forceps, Wilson Hey Forceps, Diathermy Scissors, etc in various lengths, tip sizes, and 4 plug types

### **Advantages of Reusable Diathermy Instruments**

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*

# DIATHERMY INSTRUMENTS



Tuner Warwick Scissors (STR)  
381-350



Tuner Warwick Scissors (CRV)  
381-352



Dressing Scissors (STR)  
381-358



Dressing Scissors (CRV)  
381-360



Wilson Hay Forceps (STR)  
381-366



Wilson Hay Forceps (CRV) 1  
381-368



Artery Forceps (STR)  
381-374



Artery Forceps (CRV)  
381-376



Abbey Needle  
381-382



Richie Forceps  
381-384

## ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-350	Tuner Warwick Scissors (STR)	-	17.8
381-352	Tuner Warwick Scissors (CRV)	-	17.8
381-354	Tuner Warwick Scissors (STR)	-	23.0
381-356	Tuner Warwick Scissors (CRV)	-	23.0
381-358	Dressing Scissors (STR)	-	17.8
381-360	Dressing Scissors (CRV)	-	17.8
381-362	Dressing Scissors (STR)	-	23.0
381-364	Dressing Scissors (CRV)	-	23.0
381-366	Wilson Hay Forceps (STR)	-	17.8
381-368	Wilson Hay Forceps (CRV)	-	17.8
381-370	Wilson Hay Forceps (STR)	-	23.0
381-372	Wilson Hay Forceps (CRV)	-	23.0
381-374	Artery Forceps (STR)	-	17.8
381-376	Artery Forceps (CRV)	-	17.8
381-378	Artery Forceps (STR)	-	23.0
381-380	Artery Forceps (CRV)	-	23.0
381-382	Abbey Needle	-	17.5
381-384	Richie Forceps	-	17.8
381-386	Richie Forceps	-	20.0
381-388	Richie Forceps	-	23.0

## EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-390	Tuner Warwick Scissors (STR)	-	17.8
381-392	Tuner Warwick Scissors (CRV)	-	17.8
381-394	Tuner Warwick Scissors (STR)	-	23.0
381-396	Tuner Warwick Scissors (CRV)	-	23.0
381-398	Dressing Scissors (STR)	-	17.8
381-400	Dressing Scissors (CRV)	-	17.8
381-402	Dressing Scissors (STR)	-	23.0
381-404	Dressing Scissors (CRV)	-	23.0
381-406	Wilson Hay Forceps (STR)	-	17.8
381-408	Wilson Hay Forceps (CRV)	-	17.8
381-410	Wilson Hay Forceps (STR)	-	23.0
381-412	Wilson Hay Forceps (CRV)	-	23.0
381-414	Artery Forceps (STR)	-	17.8
381-416	Artery Forceps (CRV)	-	17.8
381-418	Artery Forceps (STR)	-	23.0
381-420	Artery Forceps (CRV)	-	23.0
381-422	Abbey Needle	-	17.5
381-424	Richie Forceps	-	17.8
381-426	Richie Forceps	-	20.0
381-428	Richie Forceps	-	23.0



Adson  
381-430



McINDOE  
381-432



Gillies  
381-434



Dissecting  
381-442



Gerald  
381-450



Adson Bayonet  
381-452



Adson Bayonet UP  
381-456



Remington Hobb  
381-462

## ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-430	Adson	1.0	12.0
381-432	McINDOE	1.0, 2.0	15.0
381-434	Gillies	-	15.0
381-436	Gillies	-	17.8
381-438	Gillies	-	20.0
381-440	Gillies	-	24.0
381-442	Dissecting	1.0, 2.0	15.0
381-444	Dissecting	1.0, 2.0	17.8
381-446	Dissecting	1.0, 2.0	21.0
381-448	Dissecting	1.0, 2.0	24.1
381-450	Gerald 1x2	-	17.8
381-452	Adson Bayonet	1.0, 2.0	16.0
381-454	Adson Bayonet	1.0, 2.0	19.1
381-456	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-458	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-460	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-462	Remington Hobb	1.0, 2.0	24.1

## EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-364	Adson	1.0	12.0
381-366	McINDOE	1.0, 2.0	15.0
381-368	Gillies	-	15.0
381-370	Gillies	-	17.8
381-372	Gillies	-	20.0
381-474	Gillies	-	24.0
381-476	Dissecting	1.0, 2.0	15.0
381-478	Dissecting	1.0, 2.0	17.8
381-480	Dissecting	1.0, 2.0	21.0
381-482	Dissecting	1.0, 2.0	24.1
381-484	Gerald 1x2	-	17.8
381-486	Adson Bayonet	1.0, 2.0	16.0
381-488	Adson Bayonet	1.0, 2.0	19.1
381-490	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-492	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-494	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-496	Remington Hobb	1.0, 2.0	24.1


## ENGLISH MONOPOLAR MALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-498	Adson	1.0	12.0
381-500	McINDOE	1.0, 2.0	15.0
381-502	Gillies	-	15.0
381-504	Gillies	-	17.8
381-506	Gillies	-	20.0
381-508	Gillies	-	24.0
381-510	Dissecting	1.0, 2.0	15.0
381-512	Dissecting	1.0, 2.0	17.8
381-514	Dissecting	1.0, 2.0	21.0
381-516	Dissecting	1.0, 2.0	24.1
381-518	Gerald 1x2	-	17.8
381-520	Adson Bayonet	1.0, 2.0	16.0
381-522	Adson Bayonet	1.0, 2.0	19.1
381-524	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-526	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-528	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-530	Remington Hobb	1.0, 2.0	24.1

## MONOPOLAR WITHOUT CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-532	Adson	1.0	12.0
381-534	McINDOE	1.0, 2.0	15.0
381-536	Gillies	-	15.0
381-538	Gillies	-	17.8
381-540	Gillies	-	20.0
381-542	Gillies	-	24.0
381-544	Dissecting	1.0, 2.0	15.0
381-546	Dissecting	1.0, 2.0	17.8
381-548	Dissecting	1.0, 2.0	21.0
381-550	Dissecting	1.0, 2.0	24.1
381-552	Gerald 1x2	-	17.8
381-554	Adson Bayonet	1.0, 2.0	16.0
381-556	Adson Bayonet	1.0, 2.0	19.1
381-558	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-560	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-562	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-564	Remington Hobb	1.0, 2.0	24.1





LAFTAN Electro disposable bipolar forceps have been designed and tested to meet the practical. The main purpose for offering single-use bipolar forceps is to avoid the risk of contamination while remaining cost effective and utilizing the functionalities of the higher end forceps. Hardened stainless steel provides an optimum spring tension and serves as the basis for a superior instrument.


### **Advantages of Disposable Bipolar Forceps**

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Cost effective in comparison to re-usable.*
- *All Bipolar forceps available with cable, sterile packed.*
- *Compatible with all common electrosurgery unit.*

# DISPOSABLE BIPOLAR FORCEPS




381-524 DP



381-526 DP



381-528 DP



381-530 DP




381-532 DP



381-534 DP

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-524 DP	JEWELLER# 5	NEEDLE, 0.5	11.5
381-526 DP	ADSON	0.5, 1.0	12
381-528 DP	STRAIGHT	0.5, 1.0, 1.5	18
381-530 DP	STRAIGHT ANGLED	0.5, 1.0, 1.5	18
381-532 DP	BAYONET	0.5, 1.0, 1.5, 2.0	20
381-534 DP	BAYONET ANGLED DOWN	0.5, 1.0, 1.5, 2.0	20


# DISPOSABLE BIPOLAR FORCEPS



381-536 DP




381-538 DP



381-540 DP



Erbe




381-542 DP



381-544 DP




Flat switch 2 pin



381-546 DP


Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-536 DP	ADSON	0.5, 1.0	12
381-538 DP	CUSHING	0.5, 1.0, 1.5	18
381-540 DP	JANSEN BAYONET	0.5, 1.0, 1.5, 2.0	20
381-542 DP	ADSON	0.5, 1.0	15
381-544 DP	STRAIGHT	0.5, 1.0, 1.5, 2.0	20
381-546 DP	STRAIGHT ANGLED	0.5, 1.0, 1.5, 2.0	20

## Tip Chart




Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

# DISPOSABLE BIPOLAR FORCEPS



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions.  
 If tip size of the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-548 DP	BAYONET	0.5, 1.0, 1.5, 2.0	20
381-552 DP	JEWELLER# 5	NEEDLE, 0.5	11.5
381-556 DP	ADSON	0.5, 1.0	15
381-558 DP	STRAIGHT	0.5, 1.0, 1.5, 2.0	20
381-560 DP	STRAIGHT ANGLED	0.5, 1.0, 1.5, 2.0	20
381-562 DP	BAYONET	0.5, 1.0, 1.5, 2.0	20

# DISPOSABLE BIPOLAR FORCEPS




381-564 DP



381-566 DP



381-568 DP



381-570 DP




381-574 DP



381-576 DP

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-564 DP	MCPHERSON	NEEDLE, 0.5	10.2
381-566 DP	ADSON	0.5, 1.0	15
381-568 DP	JEWELLER# 5	NEEDLE, 0.5	11.5
381-570 DP	STRAIGHT	0.5, 1.0, 1.5, 2.0	20
381-574 DP	BAYONET	0.5, 1.0, 1.5, 2.0	20
381-576 DP	JEWELLER# 5 NON-STICK	NEEDLE, 0.5	11.5




Tip size can be changed as per your requirement, just add the following extensions:  
 0.5mm, 1.0mm, 1.5mm, 2.0mm

**DISPOSABLE BIPOLAR FORCEPS**



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions at tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-578 DP	ADSON NON-STICK	0.5, 1.0	15
381-580 DP	STRAIGHT NON-STICK	0.5, 1.0, 1.5, 2.0	20
381-582 DP	BAYONET NON-STICK	0.5, 1.0, 1.5, 2.0	20



The First Choice For Proven Performance, Rana Electro Provides The Broadest selection of fully autoclavable instruments for LEEP procedures. Our "rose coated" instruments will provide you with durability and performance unmatched in the industry. Models Available: Graves, Pederson, VU-More, 4-Way, Cusco, Collin, Weisman, Gelpi, Rigby, Lateral, Lateral Vaginal, Endocervical, Iris, Emmet, Straight, two-prong, three-prong, etc.



**Graves Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Small 381-600  
Medium 381-602  
Large 381-604

Disposable Tube



Small 381-606  
Medium 381-608  
Large 381-610



**Pederson Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Small 381-612  
Medium 381-614  
Large 381-616

Disposable Tube



Small 381-618  
Medium 381-620  
Large 381-622



**VU-Max Grave Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Medium 381-624  
Large 381-626

Disposable Tube



Medium 381-628  
Large 381-630



**VU-Max Pederson Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Medium 381-632  
Large 381-634

Disposable Tube



Medium 381-636  
Large 381-638



**Collin Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Small 381-640  
Medium 381-642  
Large 381-644



**CUSCO Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Small 381-646  
Medium 381-648  
Large 381-650



**OB/GYN LEEP INSTRUMENTS**



**Disposable Tube**



**VU-More Graves Vaginal Speculum** Medium 381-656  
Large 381-658  
With Smoke Evacuation Tube  
Medium 381-652  
Large 381-654



**4-Blades Speculum**  
With Smoke Evacuation Tube  
Medium 381-660  
Large 381-662



**Disposable Tube**



**Weisman Vaginal Speculum**  
Right Side Open  
With Smoke Evacuation Tube  
Medium 381-664  
Large 381-666



**Disposable Tube**



**Weisman Vaginal Speculum**  
Left Side Open  
With Smoke Evacuation Tube  
Medium 381-672  
Large 381-674


Medium 381-676  
Large 381-678



**Lateral Retractor**  
Wide Open  
381-680



**Rigby Retractor**  
Wide Open  
381-682



**Gelpi Retractor**  
Wide Open  
381-684



**Kogan Speculum**  
3mm 381-686  
4mm 381-688  
5mm 381-690



**Lateral Retractor**  
21cm 22mmx75mm  
381-692



**Schroeder  
Tanaculum 24cm**  
381-694



**Schroeder  
Tanaculum 24cm**  
381-696



**Single Tooth  
Tanaculum 24cm**  
381-698



**Campion  
Forceps 22cm**  
381-700



**Spong  
Forceps 22cm**  
381-702

**Dressing Forceps**  
381-704 21cm  
381-706 25cm



**Tissue Forceps**  
381-708 21cm  
381-710 25cm



**Iris Hook**  
381-712 25cm



**Emmet Hook**  
381-714 25cm



**Emmet Hook Straight**  
381-716 25cm



**Emmet Hook Two Prong**  
381-718 25cm



**Emmet Hook Three Prong**  
381-720 25cm



# LAFTAN<sup>®</sup>

INTERNATIONAL

---

LAFTAN is proudly the most sought after name in the field of Medical Diagnostic Instruments. Since its birth, the chief aim of our company has been to utilize all its energies, manpower and technology towards developing superior quality instruments, with special emphasis on them being technically precise as well as user friendly. In order to serve the interest and meet the requirements of our customers, we endeavor to the best of our abilities to improve our existing line and also introduce new products.

Haji Pura Fateh Grah Road,  
Sialkot - 51310 Pakistan.

+92 331 6535953  
+92-52-3560621

[info@laftansurgical.net](mailto:info@laftansurgical.net)  
[www.laftansurgical.net](http://www.laftansurgical.net)

